

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	75	tree same travers\$3 same binary near4 represent\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/27 20:12
S3	14	tree same travers\$3 same binary near4 represent\$4 and vector	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/27 20:14
S4	6	tree same travers\$3 same binary near4 represent\$4 and vector and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/27 20:15
S5	4	("5563947" "5677953" "5787170" "5887269").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/14 09:40
S6	1	"5887269".pn. and key	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/18 16:08
S7	678	encrypt and key same device adj3 (identification id number)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 12:27
S8	124	encrypt same key same device adj3 (identification id number)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 12:27
S9	81	encrypt same key with device adj3 (identification id number)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 14:08
S10	34	encrypt same key with device adj3 (identification id number)and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 12:39
S11	2	encrypt same key with path near3 file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 12:41
S12	2	encrypt same key same path near3 file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 12:41
S13	43	encrypt\$4 same path near3 file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 12:43
S14	76	binary same path near3 file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 16:55

S15	23	binary with path near3 file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 14:07
S16	1	binary same travers\$3 same path near3 file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 13:00
S17	5	binary same depend\$3 same path near3 file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 13:00
S18	966	encrypt same (key with (computer player adj3 (identification id number)))	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 14:08
S19	29	encrypt same (key with (computer player) adj3 (identification id number))	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 14:10
S20	62	encrypt and (generat\$3 with key with (computer player) adj3 (identification id number))	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 14:11
S21	66	encrypt and ((generat\$3 creat\$3) with key with (computer player) adj3 (identification id number))	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/28 14:11
S22	66	encrypt and ((generat\$3 creat\$3) with key with (computer player) adj3 (identification id number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:11
S23	27	copyright\$1 and encrypt and ((generat\$3 creat\$3) with key with (computer player) adj3 (identification id number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:24
S24	9	(copyright\$1 licens\$3) and encrypt and (key near2 (computer player) adj3 (identification id number)) not (S6 S7 L3L S9 S10 S11 S12 S13 S14 S15 S16 S17 S18 S19 S20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:33
S25	28	("4471163" "4528643" "4558176" "4658093" "4683553" "4796220" "4999806" "5023907" "5033084" "5191611" "5319705" "5337357" "5615264" "5671276").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:50

S26	44	(encrypt\$3 with file adj directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:36
S27	8	(encrypt\$3 with file adj directory) and (copyright\$1 licens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:48
S28	14	(encrypt\$3 with file adj2 table) and (copyright\$1 licens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:49
S29	14	(encrypt\$3 with file adj2 table) and (copyright\$1 licens\$3) not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:51
S30	39	(encrypt\$3 with file adj2 table) not (S27 S28 S29)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 14:51
S31	25	(encrypt\$3 with file adj2 table) not (S27 S28 S29)and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:20
S32	606	navigat\$3 same encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:21
S33	402	navigat\$3 same encrypt\$3 and (car\$1 automobile\$1 boat\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:21

S34	224	navigat\$3 same encrypt\$3 and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:22
S35	130	navigat\$3 same encrypt\$3 and GPS and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:35
S36	3	navigat\$3 same encrypt\$3 and GPS and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and copyright\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:23
S37	2430	copyright\$1 and encrypt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:24
S38	1348	copyright\$1 and encrypt and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and copyright\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:26
S39	579	copyright\$1 and encrypt and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and (copyright\$1 and "380"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:27
S40	32	copyright\$1 and encrypt and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and (copyright\$1 and "380"/\$.286. "713"/165,167.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:34
S42	22	encrypt\$3 same key with machine\$2 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and (copyright\$1 and "380"/\$.286. "713"/165,167.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:48

S43	1	"5887269".pn. and (key encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:50
S44	8	("5563947" "5677953" "5787170" "5887269").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:50
S48	1931	file\$1 same encrypt\$3 same (id identification (number) near2 (hardware computer PC))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:16
S49	999	file\$1 same encrypt\$3 same (id identification (number) near2 (hardware computer PC)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:16
S50	368	file\$1 same encrypt\$3 near3 key\$1 same (id identification (number) near2 (hardware computer PC)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:17
S51	155	file\$1 same encrypt\$3 near3 key\$1 with (id identification (number) near2 (hardware computer PC)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:19
S52	102	file\$1 same encrypt\$3 near1 key\$1 with (id identification (number) near2 (hardware computer PC)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:19
S53	51	encrypt\$3 near3 file\$1 same encrypt\$3 near1 key\$1 with (id identification (number) near2 (hardware computer PC)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:20
S54	1	"20020069360".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 18:36

S56	27	decrypt\$3 with path with (file directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 15:52
S57	4	(decrypt\$3 encrypt\$3) near3 (bit adj1 vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 16:38
S58	175	(decrypt\$3 encrypt\$3) near3 (pointer) same ((pointer\$1 file\$1) near3 encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 16:39
S59	133	(decrypt\$3 encrypt\$3) near2 (pointer) same ((pointer\$1 file\$1) near3 encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 16:39
S60	74	(decrypt\$3 encrypt\$3) near2 (pointer) same ((pointer\$1 file\$1) near3 encrypt\$3)and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 16:46
S69	1261	navigation.ti. and CD	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/14 09:40
S70	836	navigation.ti. and (CD same map\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/14 09:41
S71	518	navigation.ti. and (CD same map\$1)and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/14 09:51
S84	1606	voice same input and GPS and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 14:41
S85	334	voice adj input and GPS and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 11:36

S86	51	voice adj input same GPS and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:36
S87	5	voice adj input near10 GPS and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:37
S91	4262	traffic and GPS and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 14:41
S92	17	receive with process with traffic and GPS and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 14:45
S94	1	"20020069360".pn. and (short adj1 haul haul)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 15:07
S95	116	navigation.ti. and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 15:08
S96	18	navigation.ti. and bluetooth.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 15:08
S97	0	navigation.ti. and bluetooth.ab. and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 16:59

S98	13	navigation.ti. and bluetooth and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 15:12
S99	13	navigation same bluetooth and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 15:14
S100	1092	(network communicat\$3) same bluetooth and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not S98 not S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 15:15
S101	163	((network communicat\$3) same bluetooth).ab. and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not S98 not S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 15:20
S102	1	((network communicat\$3) same bluetooth).ab. and (rights permissions)and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not S98 not S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 16:16
S106	5	(mobile same file\$1 near3 permission\$1) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:07
S107	0	(wireless same file\$1 near3 permission\$1) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:09
S108	8	(central same file\$1 near3 permission\$1) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:09

S10 9	4	((gps wireless) and central same file\$1 near3 permission\$1) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:10
S11 0	1	((gps wireless) same file\$1 near3 permission\$1) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:11
S11 1	240	((gps wireless) same file\$1 near3 access) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:11
S11 2	64	((gps wireless) near8 (file\$1 near3 access)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:16
S11 3	34	(navigation and (gps wireless) same (file\$1 near3 access)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:15
S11 4	4	((gps wireless) and central adj (server station) near8 (file\$1 near3 access)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:17
S11 5	1	(remote same central adj (server station) near8 (file\$1 near3 access)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:41
S11 6	3259	(remote same (permission right\$1) same (device\$1 laptop)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:42

S11 7	808	(remote with (permission right\$1)with (device\$1 laptop)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:44
S11 8	29	(remote with (permission right\$1)with (device\$1 laptop)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and ("709"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:48
S11 9	95	(remote with access with file\$1 with control) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and ("709"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:49
S12 0	7	(remote adj control with access with file\$1) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and ("709"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:49
S12 1	5	(remote adj control with access near4 file\$1) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and ("709"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:50
S12 2	8	(remote adj control with access near4 file\$1) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:54
S12 3	704	(remote same permission\$1) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:54
S12 4	1403213	(permission\$1 right\$1) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not 709/244. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:58

S12 6	6	(permission\$1 right\$1) with file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and 709/244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:05
S12 8	11	navigation.ti. and key same encrypt\$3 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:08
S12 9	605	copyright.ab. and key same encrypt\$3 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:09
S13 0	0	copyright.ab. and key same encrypt\$3 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and 709/244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:09
S13 1	42	copyright.ab. and key same encrypt\$3 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:10
S13 2	7647	(central adj management central server) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:10
S13 3	131	(central adj management central server) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and "713"/165.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:11
S13 4	0	(central adj management) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and "713"/165.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:11

S13 5	334	file\$1 near2 (access permissions) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and "713"/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:12
S13 6	109	file\$1 adj1 (access permissions) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and "713"/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:33
S14 0	2	file\$1 adj1 (access permissions) same Management same remote and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and "713"/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:34
S14 1	14	file\$1 adj1 (access permissions) same Management and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and "713"/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:35
S14 2	6	(right\$1 permission\$1) with Management with (remote wireless mobile) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and "713"/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:37
S14 3	148	(right\$1 permission\$1) with Management with (remote wireless mobile) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:36
S14 4	3	(right\$1 permission\$1) near4 Management with (remote wireless mobile) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and "713"/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:37
S14 5	74	(right\$1 permission\$1) near4 Management with (remote wireless mobile) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:37

S14 6	5	(right\$1 permission\$1) near4 Management with (remote wireless mobile) with device and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:25
S14 7	657	(permission\$1 privilege\$1 right\$1 authoriz\$5) and 340/539.13,539.2, 825.69,825.72.ccls. and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:30
S14 8	436	(permission\$1 privilege\$1 right\$1) and 340/539.13,539.2,825.69,825.72.ccls. and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:30
S14 9	27	(permission\$1 privilege\$1 right\$1) same file\$1 and 340/539.13,539.2,825.69,825.72.ccls. and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 11:35
S15 3	51	navigation and vehicle and ("380"/\$.ccls. "713"/\$.ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 14:04
S15 4	221	(authori\$5 adj1 server) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 16:56
S15 5	5	(authori\$5 adj1 server) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and ("701"/\$.ccls. "340"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 16:58
S15 6	344	((authoris\$5 authoriz\$5) adj1 server) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 16:59
S15 7	3	((authoris\$5 authoriz\$5) adj1 server) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") and ("701"/\$.ccls. "340"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 17:00

S15 8	70	((authoris\$5 authoriz\$5) adj1 server) same file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not (S155 S157)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 17:02
S15 9	56	((authoris\$5 authoriz\$5) adj1 server) same file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not (S155 S157)and (wireless remot\$3 mobile)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 17:04
S16 0	26	((authoris\$5 authoriz\$5) adj1 server) same file\$1 and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330") not (S155 S157)and (wireless mobile)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 17:13
S16 1	107	(navigation with (password PIN)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 17:15
S16 2	67	(navigation with (password)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 17:17
S16 3	67	(navigation with (password) and (password authori\$6 server)) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 17:39
S16 4	417	713/182,183.ccls. and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 17:40
S16 5	124	713/182,183.ccls. and identifier and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 17:41
S16 6	31	713/182,183.ccls. and authori\$5 same identifier and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 17:59
S16 9	1	"20020069360".pn. and roadmap adj data	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 18:37
S17 7	21	chang\$3 near2 identifier with security	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 19:17

S20 0	1233	identifier near4 chang\$4 and ("709"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls. "708"/\$.ccls. "713"/\$.ccls. "711"/\$.ccls. "707"/\$.ccls. "717"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/18 19:33
S20 1	112	((system device) adj (id identifier)) near4 chang\$4 and ("709"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls. "708"/\$.ccls. "713"/\$.ccls. "711"/\$.ccls. "707"/\$.ccls. "717"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/18 19:34
S20 2	70	((system device) adj (id identifier)) near4 chang\$4 and ("709"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls. "708"/\$.ccls. "713"/\$.ccls. "711"/\$.ccls. "707"/\$.ccls. "717"/\$.ccls.) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/18 19:37
S20 3	0	((every each) adj time) with (((system device) adj (id identifier)) near4 chang\$4) and ("709"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls. "708"/\$.ccls. "713"/\$.ccls. "711"/\$.ccls. "707"/\$.ccls. "717"/\$.ccls.) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/18 19:39
S20 4	0	((every each) adj time) same (((system device) adj (id identifier)) near4 chang\$4) and ("709"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls. "708"/\$.ccls. "713"/\$.ccls. "711"/\$.ccls. "707"/\$.ccls. "717"/\$.ccls.) and (@ad<"20000330" or @rlad<"20000330" or @prad<"20000330")	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/18 19:39

File 347:JAPIO Nov 1976-2004/Aug(Updated 041203)

(c) 2004 JPO & JAPIO

File 350:Derwent WPIX 1963-2005/UD,UM &UP=200507

(c) 2005 Thomson Derwent

Set	Items	Description
S1	144	BIT()VECTOR? ?
S2	10	S1 AND (TREE? ? OR TRIE? ? OR HIERARCH?)
S3	9	S2 AND AC=US/PR
S4	8	S3 AND AY=(1970:2001)/PR
S5	6	S2 AND PY=1970:2001
S6	9	S4:S5